

FLOOR CARE



Spartan Straight Seal®

One-step 24% solids seal provides labor savings through easy application! A durable, water emulsion formula recommended for light to medium traffic conditions. Features excellent gloss, chemical and water-resistant characteristics. Use alone or as a topcoat to enhance the gloss of New Generation 40 or 50.

4258202 5gal



Spartan New Generation 100®

A 100% solids, two part resurfacing system. Restores damaged, deteriorated concrete to better-than-new condition! Solvent free with no VOC's. Coverage averages 80 to 100 ft² per gallon.

425863 clear, 3/4gal

425861 clear, 4gal

425864 grey, 3/4gal

425862 grey, 4gal

Spartan New Generation Epoxy Patch & Repair Kit

Use to fill large holes, cracks, voids and other surface defects or as a polymer grout. Non-shrinking. Cures faster and stronger than concrete. No VOC's. Coverage averages 144 cubic inches.

425865 3/4gal



Spartan Concrete Prep®

The most important step to insure proper etching of concrete prior to sealing! Concrete Prep® increases adhesion and long-term performance of water-based concrete seals. Use on old concrete to remove organic material, rust, stains and soil. Use on new concrete to remove laitance.

4258152 5gal

4258155 55gal



Conductive Floor Care

Spartan N/C No Charge® Cleaner

After floors are finished with N/C No Charge® floor finish, maintaining the static dissipative with each cleaning is simplified. Use N/C Charge® Cleaner to clean polymer type floor finish and conductive floor tiles. N/C No Charge® Cleaner is actually formulated with dissipative agents that help maintain static dissipative properties. Electrostatic discharge (ESD) floor care is designed for end users, manufacturers and handlers of goods and services of electronic devices and components. Dilutes 1:64, pH 5.0-6.0

4240141 1gal/4cs

4240142 5gal



Spartan N/C No Charge® Finish

A static dissipative finish that adds protection from most types of ESD damage. N/C No Charge® is a floor finish that aids in the protection of an accumulation of electrical charges. It assists in the dissipation of electrical charges from the human body and from objects moved across a floor. The thermoplastic polymer resins and waxes are formulated for the prevention of degraded electronic components that can damage and cause premature failure. pH 8.5-9.0

4240131 1gal/4cs

4240132 5gal



Resilient Floor Care Neutral Cleaners

Spartan Damp Mop

Reduce time and labor with this no rinse floor cleaner. Quick drying. Leaves no residue or haze to dull floor finish. Phosphate free and biodegradable. Pleasant lemon fragrance. Dilutes 1:20 to 1:64.

4230161 1gal/4cs

4230162 5gal

4230165 55gal



Mission Janitorial 1-800-733-1748
www.missionjanitorial.com

1-800-733-1748
www.missionjanitorial.com

Mission
JANITORIAL & ABRASIVE SUPPLIES

Hillyard Top Clean

A fast acting neutral synthetic cleaner that removes the soil and leaves the shine. Will not leave a dulling buildup. With built in defoamers, this product is ideal for damp mopping or use in an automatic scrubber. Excellent for use in hard water. Dilutes 1:32 to 1:256. One pouch makes 4 gallons. Ready to use.

- 421441 1gal/4cs
- 421442 5gal
- 428101 Arsenal 1gal/4pk
- 428109 Arsenal 2oz pouch/72pk



Mission Top Option Neutral Cleaner

Neutral pH, safe for use on floor finishes. Economical to use. Removes dirt and other surface soils. Phosphate free and environmentally friendly. Dilutes 1:6 to 1:64.

- 4254061 1gal/4cs
- 4254062 5gal



Hillyard Super Shine-All®

The long popular neutral cleaner preserves, cleans, and polishes. Will not harm your finish but will remove a wide variety of dirt and grime. This is the cleaner of choice for damp mopping and auto scrubbing. Makes water wetter. Pleasant sassafras fragrance. Dilutes 1:42 to 1:128. One pouch makes 4 gallons. Ready to use.

- 421401 1gal/4cs
- 421402 5gal
- 428081 Arsenal 1gal/4pk
- 428089 Arsenal 4oz pouch/36pk



Hild Safety Step Xtreme

A special multi-purpose chemical designed for use in the high-speed floor maintenance industry. As a neutral cleaner and conditioner, it is a superior concentrated cleaner that cuts dirt and soil without removing the shine. Responds exceptionally well to high speed burnishing and greatly increases the slip coefficient of 50% - 100%. Will condition any floor and increase the gloss dramatically without leaving polymers or buildup like conventional restorers or rejuvenators. Dilutes 1/2 - 1oz/gallon.

- 420001 1gal/4cs



Mission Big M Neutral Cleaner

A safe and effective pH neutral cleaner that works well on high gloss floors without dulling the shine. Non-toxic. Dilutes 1:64 to 1:128.

- 4223021 1gal/4cs



MISSION TIP!

Before re-coating a floor it must be dry and free from alkaline residue left by strippers. To easily test your floor to determine if you're ready to re-coat, run your bare palm across the floor. If your palm appears "chalky" or has residue on it, you need to rinse the floor again. Not removing the residue will prohibit the sealer or finish from properly adhering to the floor and leave an inconsistent appearance. Ideally, after the stripping process, rinse the floor with a neutralizer/floor prep, and then once more with clean water prior to the application of a floor coating.

FLOOR CARE



Hillyard Renovator®

A heavy duty cleaner, it can be used for almost any cleaning job. From one ounce per gallon for light daily cleaning in an automatic scrubber to higher concentrations for removing tough grease and dirt and wax buildups from hard floors. Water based and slip resistant. Safe to use on all washable surfaces, except glass. Dilutes 1:8 to 1:128.

- 421201 1gal/4cs
- 421202 5gal



Medium to Heavy Duty Floor Cleaners

Hillyard Assurance®

A highly concentrated, multipurpose cleaner formulated to tackle tough cleaning jobs. Can be used on any hard surface not harmed by water, except glass. Ideal for use in automatic scrubbers at an economical dilution rate of 1 ounce per gallon of water. Pleasant fresh citrus fragrance. Dilutes 1:42 to 1:256.

- 421531 1gal/4cs
- 421532 5gal



Spartan Shinline® Multi Surface Cleaner

Features crisp, mint fragrance. Use once a month to remove heavy or burnished-in soils commonly found in high traffic areas. Emulsifies dirt. Concentrated so it can be mixed to do light to heavy tasks which saves time and money. Dilutes 1:64 to 1:1024.

- 4200401 1gal/4cs




Neutralizers & Floor Prepping Solutions

Hillyard Arsenal® Floor Conditioner & Neutralizer

Prepare your floors for sealing and coating, plus prevent leveling and powdering problems. Dulling, discoloring, and hazing problems are eliminated so floor finishes look better and last longer. Packaged in convenient portion-controlled, water soluble, Hil-Pac Pouches. One pouch makes 3 gallons, ready to use. 2 containers per case.

- 428310 0.5oz pouch, 2/90pk



Hillyard Nutra-Rinse®

A neutralizer and conditioner formulated to help eliminate alkaline residue on floors and from carpet extractor jets/nozzles. Chemically ties up the residue left by strippers and allows the salts to be rinsed freely. Excellent for use on carpets with retained detergents as well as hard floors. Dilutes 1:8 to 1:32.

- 422191 1gal/4cs
- 422192 5gal



Spartan Shinline® Floor Prep®

A specially formulated product that neutralizes and conditions. Eliminates alkaline residue remaining on floors after stripping, cleaning or disinfecting. Leaves floors conditioned and film free, ready for application of seals and finishes. Dilutes 1:26.

- 4230291 1gal/4cs
- 4230292 5gal



Strippers & Baseboard Cleaners

Hillyard Devastator®

The fastest acting stripper ever developed by Hillyard. Will even remove polish coats that have been repeatedly burnished and hardened. Saves time and money by reducing labor costs. Use on masonry, hard floors, and vinyl composition flooring. Dilutes 1:1 to 1:5.

- 421471 1gal/4cs
- 421472 5gal



Hillyard Power Strip®

A non-ammoniated stripper with the power to remove waxes, polymers, and metal interlock polishes quickly and easily. When used as directed you can apply to asphalt, vinyl, and vinyl composition with confidence. Safe on asbestos tile. Dilutes 1:4 to 1:12.

- 421511 1gal/4cs
- 421512 5gal



1-800-733-1748
www.missionjanitorial.com

Mission
JANITORIAL & ABRASIVE SUPPLIES

Hillyard Butyl Mop-On Stripper

A quick acting heavy duty butyl based stripper designed to remove tough buildups on vinyl floors without mechanical agitation. Pre-test on older floors. Not for use on linoleum, rubber or synthetic floors. Dilutes 1:1 to 1:3.

421481 1gal/4cs

421482 5gal



Spartan L.O.E. Stripper®

Low odor emulsifier/stripper. L.O.E is fragrance free and has a very low VOC content. A great choice for hospitals and all other 24 hour environments. Dilutes 1:1 to 1:20.

4200611 1gal/4cs

4200612 5gal



Spartan Shinline® Emulsifier Plus®

High performance speed stripper. Quickly removes heavy build-ups and burnished floor finish. Very effective with ultra high speed programs. Dilutes 1:2 to 1:10.

4200841 1gal/4cs

4200842 5gal

4200845 55gal



Spartan Green Solutions Floor Finish Remover

An effective floor finish wax emulsifier. Specially formulated for use in conjunction with Spartan Green Solutions Floor Seal & Finish. Low odor makes it the ideal floor stripper to use in confined areas and where typical strong stripper odor presents a problem. pH 13.0-13.7, dilutes 6-64oz per gallon.

4235051* 1gal/4cs

4235052* 5gal



Spartan Rinse Free Strip

Efficient stripping compound drastically reduces time and labor costs by eliminating the need to rinse. Dilutes 1:2 to 1:10.

4200821 1gal/4cs

4200822 5gal

4200825 55gal



Hillyard Jell Baseboard Stripper

A gelled, heavy duty cleaner designed to remove wax and soils from baseboards and other surfaces. Clings to vertical surfaces and has no strong odors. USDA C-1. HMIS Rating: 3, 1, 0

4210360 18oz aerosol/12cs



Mission Top Option Heavy Duty Non-Ammoniated Stripper

An aggressive stripper that works well in warm or cool water. Does an outstanding job penetrating and emulsifying built up coats of waxes and finishes. Pleasant fragrance. Butyl and ammonia free. Dilutes 1:4.

4254022 5gal



Hillyard Strip-All®

An economical heavy duty non-ammoniated stripper formulated to remove water-based waxes and polymers. Can be used on a variety of both resilient and hard floors. Low foaming. Dilutes 1:4.

421411 1gal/4cs

421412 5gal



Dilution	Ft² Coverage Range
1:1	500-600
1:2	750-900
1:3	1000-1200
1:4	1250-1500
1:5	1500-1800
1:8	2250-2700
1:12	3250-3900

MISSION TIP!

Plan ahead! When calculating how much stripper you need, use the above calculations. Because label instructions suggest using a liberal amount of product one can figure approximately 250-300 square feet of coverage per diluted gallon of stripper solution. One gallon, with a dilution rate of 1:4 would yield 5 gallons of stripping solution. Using the above coverage rate you can strip 1250-1500 square feet of flooring.

FLOOR CARE



Mission Big M Floor Stripper

Heavy duty non-ammoniated floor stripper. Safe to use on all hard floors. Great for removing multiple coats. Dilutes 1:4 to 1:10.

4222971 1gal/4cs

4222972 5gal



Hillyard Foaming Baseboard Stripper

Non-flammable, heavy duty, foaming wax stripper. Cleans and strips where floor machines cannot reach. Baseboard stripper's wet foam clings to vertical surfaces. USDA A-4. HMIS Rating: 3, 1, 0

4210370 18oz aerosol/12cs



Spartan Sunny Side®

An 18% solids, non-buff, brilliant, high gloss finish with durability and easy maintenance. Highly resistant to black heel marking, scuffing, and powdering. Coverage averages 2000 to 3000 ft² per gallon.

4240451 1gal/4cs

4240452 5gal



3M™ Trouble Shooter

A heavy duty cleaner for baseboards, ceramic wall tiles and other hard to get at areas. Authorized by USDA for use in federally inspected meat and poultry plants. Do not apply on painted surfaces. Ready to use.

4214001 21oz aerosol/12cs

Spartan Shinline® Baseboard Stripper

High powered foaming formulation strips wax buildup from baseboards, floor edging & corners. Ready to use.

4260970 18oz aerosol/12cs



Spartan On an' On®

Reduces labor while providing a shine that lasts On an' On®. 25% solids. Non-buff metal interlock floor finish requires fewer coats and may be spray buffed with high speed or ultra high speed machines. Coverage averages 2000 to 3000 ft² per gallon.

4240731 1gal/4cs

4240732 5gal

4240735 55gal



Spartan EnduraSTRIP™

A powerful water-based compound custom formulated to remove EnduraMAX Laminate. Transparent and colorless in appearance, EnduraSTRIP™ is virtually odor free in use. pH 13.4-13.8. Dilutes 1:10

4200671 1gal/4cs



Hillyard One Plus®

An 18% solids, zinc-free floor polish. U.L. classified as to slip resistance. Outstanding toughness and durability. Stands up to scuffing, scratching and black heel marks even in critical high traffic areas. A natural choice for maintaining both resilient and hard surface floors in schools, offices, hospitals, and malls.

425272 5gal



Finish, Wax & Sealers Buffable Finishes (Low Speed)

Hillyard Super Z® Finish

A 16% solids finish that delivers a deep gloss. Formulated for resilient tile, paver brick, quarry tile, natural stone, and almost all coatable floors. Excellent resistance to detergents. Restores with spray buffing. Coverage averages 2000 to 2500 ft² per gallon.

4265661 1gal/4cs

4265662 5gal



Hillyard Top Shape®

An 18% solids, quality, acrylic copolymer floor finish formulated to provide a clear, wet-look, protective shine on your floors. Goes down quickly and easily. Self-leveling provides a uniform film hardness. Designed for Trilogy System I. Coverage averages 1500 to 2000 ft² per gallon.

425221 1gal/4cs

425222 5gal



Mission Janitorial 1-800-733-1748
www.missionjanitorial.com

1-800-733-1748

www.missionjanitorial.com

Mission
JANITORIAL & ABRASIVE SUPPLIES

**Burnishable Finishes
(High Speed)**

Hillyard Explorer®

A 22% solids finish provides a clear, wet-look to your floors as it protects against black heel marks, scratches, and scuffing. Dries fast enough to use in lobbies, entrances, and major traffic areas. Designed for Trilogy System I. Coverage averages 1500 to 2500 ft² per gallon.



425341 1gal/4cs

425342 5gal

Hillyard Expediter®

Daily and weekly maintenance is simple with Expediter. A 22% solids, urethane fortified finish. Dries to a beautiful high gloss without buffing. Extremely versatile, use in all types of facilities. Buff with low or high speed machines. Coverage averages 1500 to 2000 ft² per gallon.



425291 1gal/4cs

425292 5gal

Hillyard Resilience®

An advanced polymer system that provides an exceptionally long lasting, wet-look shine. It consistently delivers beautiful floors that stand up to repeated cleanings and the heat of ultra high speed (1500-2000+ rpm) burnishing, day after day. Designed for Trilogy System III.



425211 1gal/4cs

425212 5gal

Hillyard North Star®

A 22% solids finish stands up to heavy traffic, formulated for durability. Requires less base coats. Delivers a deep, clear gloss that won't darken floors. Designed for Trilogy System II. For use with 1500-2000 rpm speed machines. Coverage averages 1500 to 2000 ft² per gallon.



425281 1gal/4cs

425282 5gal

Hild Tuff-Plus Super Finish

Revolutionary, uses a molecular engineered Smart-Coat technology. A blend of acrylic tri-polymers, resins and plasticizers to provide and maintain effective high-gloss floors with supreme durability and outstanding wear. This unique finish is a hard translucent film that resists scuffing and dirt penetration and meets and exceeds the UL standards of slip resistance. Will not powder, yellow or brown. Coverage: 2500-3000 ft² per gallon.



426001 1gal/4cs

426002 5gal

Hillyard Endeavour®

A 18% solids finish, made for 1500-2000 rpm floor machines. Designed to be the finish of choice for areas where heavy traffic, grit, dirt, scuffs and black heels marks torture the ordinary polish. Designed for Trilogy System II. Coverage averages 1500 to 2000 ft² per gallon.

425251 1gal/4cs

425252 5gal



- What type of equipment do you have available to use? High speed or low speed?
- What will you strip with? Grit brush, Hi Pro pads or black pads? Make sure to use proper stripping products for your floor.
- How do you plan to maintain the floor? High speed or low speed?
- How often do you plan to buff or recoat?
- What will you clean the floor with? Neutral cleaner?
- Should you seal the floor? Yes, if you have a bare floor.
- What is the solids content of the product you are presently using? Use a combination of seal and finish coats to achieve at least a 100% build of solids on a newly stripped floor.

MISSION

TIP!

When selecting your floor care system there are a few questions to ask yourself. See above bullet points.

FLOOR CARE



Spartan iSHINE

iShine is a floor finish that optically enhances shine, minimizes flooring blemishes plus intensifies the original flooring color! Only four coats of iShine are needed to provide superior protection while reducing and minimizing labor costs. The new technology found in iShine creates great ease of application and incredible leveling. 34.5% total, 25% non-volatile solids content.

4240551 1gal/4cs

4240552 5 gal



Hild Plastiflex® Plus

Wet look floor finish produces a super high gloss without buffing by using a new generation of polymers. Plastiflex® Plus floor finish is a self-sealing product producing a mirror-like gloss with only a few coats.

426032 5gal



Spartan Upper Limits®

Upper limits is a high-tech low odor floor finish formulation designed for optimal response to ultra hi-speed burnishing (1500 to 3000 + rpm machines). It levels and bonds extremely well. Non-powdering and easy to repair and remove.

4240901* 1gal/4cs

4240902 5gal/4cs



Spartan Green Solutions Floor Seal & Finish

An Acrylic co-polymer based floor seal and finish. Formulated without heavy metals, glycol ether, or formaldehyde. Very low ammonia. Green Solutions Floor Seal & Finish is a wise choice with respect for the environment. pH 7.8-8.2.

4235041 1gal/4cs

4235042* 5gal



Spartan TriLinc®

25% non volatile solids incorporating three crosslinks, plus urethane fortification for optimum durability. TriLinc® gives resilient tile a clear, diamond like shine. It doesn't yellow or fade. Just two thin and even coats of TriLinc® provide the same protection and shine of three coats of lower solids products. pH 8.0-8.5

4240301 1gal/4cs



Spartan WHITE SUN

White Sun employs patented 21st century optically enhanced polymer technology that amplifies and improves the overall look of floors. Excellent leveling and quick dry time provide mistake proof application that quickly builds without developing mop marks ridges. Advanced polymer technology and acrylic polymers combine with ionic cross-linked bonds to provide resistance to water spotting and powdering. Black heel marks and scuffs simply wipe away without effort. 25.8% total, 18% non-volatile solids content.

4240501 1gal/4cs

4240502 5gal



Hillyard Ultrathane®

Special 25% formulation of long-wearing acrylic emulsions with tough urethane to provide maximum gloss, scuff resistance and excellent durability. It can be applied easily in high traffic areas without recoating the entire floor. Spray buffing will also help restore worn areas. Ideal for resilient tile and hard floors. Avg. coverage 2000 ft² per gallon.

425191 1gal/4cs

425192* 5gal



Mission Janitorial 1-800-733-1748
www.missionjanitorial.com

1-800-733-1748

www.missionjanitorial.com

Mission
 JANITORIAL & ABRASIVE SUPPLIES

Laminates

Spartan Millennia Bright Dura Gloss Laminate

Takes "conventional" floor finish to a brand new level. Achieves long lasting, brilliant, clear gloss with maximum effort or training. While a thin, uniform coat will nearly always produce the best results, Dura Gloss Laminate is formulated for flexibility. Its excellent leveling and quick dry time provide a "forgiving" mistake proof nature that tolerates thick, thin or in between application. This benefit reduces time invested in training, makes it easier to train technicians, and gives them confidence and quickly instills pride in their work!

pH 8.0-8.5

4240601 1 gal/4cs

4240602 5 gal



Spartan EnduraMAX Laminate™

A two-part, second generation, premium, floor laminate formulated to provide the high shine benefits of traditional floor finishes with the dramatic durability of a semi permanent, yet strippable urethane. The coating is UV resistance and will not yellow. Applied as an over-laminate to EnduraBASE™, EnduraMAX Laminate™ is highly detergent resistant. Coverage 2000-3000 ft² per gallon. pH 6.5-7.5

4241340* 1.38gal

4240340 2.5gal



Sealers

Hillyard Seal 341®

A 22% solids seal/finish designed to enhance the rich, natural colors of your hard floors without leaving a shiny, plastic-looking surface. Will seal terrazzo, unglazed, quarry, ceramic tile, paver brick and concrete and leaves a tough protective finish at the same time. Can be used as a seal coat to form a base for high speed floor coverings. Coverage average 1500 ft² per gallon.

423411 1gal/4cs

423412 5gal



Hillyard Hil-Tex®+

A zinc-free, transparent, fast drying, seal/undercoater formulated for porous flooring. Hil-Tex®+ provides a smooth, tough base that helps polishes and waxes form an unbroken surface film for longer wear properties.

423441 1gal/4cs

423442 5gal



MISSION

TIP!

Apply the first coat of floor finish up to the baseboard. Subsequent coats of finish should be applied 6 to 8 inches away from baseboards.

Thin coats allow for quicker drying and more consistent film curing.

FLOOR CARE



Spartan On Base

A clear, 16% solids, water-based under seal and floor conditioner. Non-yellowing. An excellent sealer for worn flooring. Coverage averages 2000 to 3000 ft² per gallon.

4255551 1gal/4cs

4255552 5gal

4255555 55gal



Spartan Shinline Seal®

Specially formulated for its compatibility with ultra hi-speed floor coatings. Two coats condition, seal, and protect. Coverage averages 2000 to 3000 ft² per gallon.

4240041 1gal/4cs

4240042 5gal



Hillyard Terrazine®

A 22% solids, zinc-free seal for Terrazzo, Saltillo Tile, and porous masonry floors. Ideal for Mexican Paver tiles. Produces a smooth surface for applying floor finishes. Tolerant of cold. Fast drying. Classified by Underwriters Laboratories as to slip resistance. Coverage averages 1000 to 1500 ft² per gallon.

423461 1gal/4cs

423462 5gal

Spartan Millennia Bright Dura Prime®

Conditions, protects and laminates old, damaged and new resilient tile, terrazzo, linoleum ... nearly any hard surface.

Dura Prime® is the foundation of the millennia Bright Laminate Floor Care System. Just two quick applications provide an under laminate to restore, condition and protect old, damaged or new flooring. pH 8.0-8.5

4255601 1gal/4cs

4255602 5gal



Hillyard Strong Guard®

A 16% solids seal formulated to provide a stain-resistant base that withstands staining caused by betadine, Kool-Aid, ketchup, mustard, beer, wine, motor oil, tar, etc. Enhances the original color of your floors and provides a smooth base to help polishes form an unbroken surface. Coverage averages 1200-2000 ft² per gallon.

423451 1gal/4cs

423452 5gal



Spartan EnduraBASE™

A unique, acrylic polymer formulated to provide the laminate foundation of the Laminate Lights System. Opaque white in color, dries to a clear, glossy film and will not yellow. pH 13.4-13.8 Coverage up to 3000 ft² per gallon.

4240331 1gal/4cs

4240332* 5gal



1-800-733-1748
www.missionjanitorial.com

Mission
JANITORIAL & ABRASIVE SUPPLIES

Restorers/Spray Buffs

Hillyard Restorer

Zinc-free formula protects your base coat and keeps traffic lanes, heel marks, and scuffing to a minimum while restoring gloss to maximum level. Can be used in an autoscrubber to clean the floor and prepare it for burnishing, or mopped onto the floor and high-speed burnished, or used as a spray-buff solution to clean and restore the gloss at the same time. Designed for Trilogy System II & III. Resists powdering. Dilutes 1:4 to 1:32. Coverage: 8000 to 10,000 ft² per gallon.



- 425391 1gal/4cs
- 425392 5gal

Hillyard Hil-Glo®

A specially formulated spray buff compound which gives your floors a durable, high gloss quickly and easily. Cleans the surface of your floor as it polishes. Can be used with either conventional speed (175 rpm) or high speed (1000-1500 rpm) machines. Thermoplastic resins provide resistance to black heel marks, scuffs, and scratching. Ready to use.



- 4210156 32oz/12cs
- 425331 1gal/4cs

Spartan Bounce Back®

For fast and easy touch-ups. Formulated with thermoplastic polymers and detergents. Simply mop on, dry buff and get that "just waxed" shine. Use with high speed machines. Dilutes 1:1 to 1:4.



- 4243301 1gal/4cs
- 4243302 5gal
- 4243305 55gal

Spartan SunSwept®

Floor cleaner and shine restorer. Exclusively for use with automatic scrubbers, SunSwept® cleans while intensifying shine. A time and money-saving solution. pH 7.8-8.2



- 4240641* 1gal/4cs
- 4240642 5gal

Hild Thermo-After Shock (T-A2)

World's only true hardener or protector for all floors and floor finishes. One thin coat will extend the life of any floor coating many times over. When T-A2 is applied to the floor finish it completely changes the existing floor coating into a super-hard, flexible film that tremendously increases the hardness, flexibility, durability and gloss many times over. T-A2 allows reparability of wear areas or "patching" instead of complete re-coating of floors. It will also increase the slip resistance and gloss on any floor coating. Coverage: 4000-5000 ft² per gallon.



- 425011 1gal/4cs



Wax

Hillyard Super Hil-Brite®

A self-polishing, durable, 100% grade A carnuba wax that will not yellow with age. Slip resistant. Provides an excellent resistance to problem heel marks. Delivers a deep, lustrous shine that buffs back easily, even after years of repeated wear and cleaning. Use with low speed machines. Coverage averages 2000 ft² per gallon.



- 425001 1gal/4cs
- 425002 5gal

MISSION

TIP!

Powdering: A condition where a fine dust occurs on the finished floor surface. Often, "powdering" is just dust settling due to construction or other sources of dust. However, it can be indicative of a lack of floor finish (or sealer) adhesion. The causes of lack of adhesion are numerous: alkaline residues, insufficient stripping of old finish, applying finish too thin or too thick, or incorrect matching of floor finish to maintenance equipment and burnish pads (too aggressive).